



Worldwide repairs carried out with PolymerMetal[®]

REP-# 077



Sealing of micropores in fittings using Sealium by immersion or brush method.

MultiMetall
the MetalExistenceCompany™



Interested parties, please contact
Authorized Exclusive Distributor in Indonesia, Singapore, Malaysia, Phillipine, Brunei
PT BAUMA ADHESIVE

16th Floor, Wisma Metropolitan II, Kav. 29-31, Jalan Jendral Sudirman, Jakarta 12920, Indonesia
Phone : (62-21) 5711850 • Fax : (62-21) 5711861 • Website : www.bauma.com/multimetall • E-mail : baumaadhesive.sales@bauma.co.id



Worldwide repairs carried out with PolymerMetal®

REP-# 081



Leakages (micro pores) in a cylinder head were closed with Sealium.

MultiMetall
the MetalExistenceCompany™



Interested parties, please contact
Authorized Exclusive Distributor in Indonesia, Singapore, Malaysia, Phillipine, Brunei
PT BAUMA ADHESIVE

16th Floor, Wisma Metropolitan II, Kav. 29-31, Jalan Jendral Sudirman, Jakarta 12920, Indonesia
Phone : (62-21) 5711850 • Fax : (62-21) 5711861 • Website : www.bauma.com/multimetall • E-mail : baumaadhesive.sales@bauma.co.id



Technical Report PolymerMetal®

TEC-# 025

Examination of Technical Properties of Sealium at high humidity

Used products

Sealium

Description

Various samples were coated with Sealium. After that the samples were placed into a climatic chamber for curing. The humidity at the climatic chamber was 97% and the temperature 22°C. Then the curing time and the adhesion were tested.

Result

There was no visible difference of the curing time and the adhesion compared to a much lower humidity.

MultiMetall

the MetalExistenceCompany™



Interested parties, please contact
Authorized Exclusive Distributor in Indonesia, Singapore, Malaysia, Phillipine, Brunei

PT BAUMA ADHESIVE

16th Floor, Wisma Metropolitan II, Kav. 29-31, Jalan Jendral Sudirman, Jakarta 12920, Indonesia

Phone : (62-21) 5711850 • Fax : (62-21) 5711861 • Website : www.bauma.com/multimetall • E-mail : baumaadhesive.sales@bauma.co.id